





Electric Testing:
 1: 100% 4K/60HZ TV
 2: ICT Testing: RT8000 Numerical value:
 18Gbps

10	PE BAG 210*170*0.06mm
9	HDMI LOGO Label - Transparent With Black Text HDMI® 30*10mm
8	JAN Label - White With Black Text P/N:HAM/AEF005M 4522686006887 40*15mm
7	TV Label - White With Black Text 36*6MM
6	{{(1/0.16Bc+HDPE)*1P+1/0.16Tc+AL/Mylar}*5P+((1/0.16Bc+HDPE)*3C+(1/0.254Bc+HDPE)*1C+Filler+AL Mylar+16/9/0.08(85%)Tc Braid)*1C OD=4.5±0.15MM Jacket=Black PVC Jacket with White Text : High Speed HDMI R(logo) Cable With Ethernet E148115-D (UL) c(UL) TYPE CL2 SHIELDED 75°C FT4 34AWG/13C+30AWG/1C (C17S0313-1)
5	Plastic Cap-Transparent(2312110024)
4	PVC - Black 60P (31401012060 YT-1469/YT-3278)
3	PVC - Black 60P (31401012060 YT-3411/3412)
2	HDMI A Plug - Gold Plated (3033700AP003/3033700AVG05/3033700APN04)
	HDMI A Plug - Gold Plated(Pin 15u" Gold) (303370069G with HT8181 IC / 303009006)
ITEM	SPECIFICATION

TOLERANCES UNLESS OTHERWISE STATED X. = ± 1 X.X = ± 0.2 X.XX = ± 0.1 TOOLING DECIMALS ANGLES X. ±0.3 ± 1° X.X ±0.2 ± 0.5° X.XX ±0.1 ± 0.5°

P/N:	HAM/AEF005M	SIZE	A4	REV	A
DESCRIPTION PRODUCT	HDMI 2.0 Active w/HEAC cable 5M	UNIT	mm	SCALE	NA
		PAGE NO		1/1	
		DATE		2017.07.27	
JAPAN MATERIAL Co.,Ltd					




Electric Testing:
 1: 100% 4K/60HZ TV
 2: ICT Testing: RT8000 Numerical value:
 18Gbps

10	PE BAG 320*250*0.06MM
9	HDMI LOGO Label - Transparent With Black Text HDMI® 30*10mm
8	JAN Label - White With Black Text P/N:HAM/AEF007M 4522686006894 40*15mm
7	TV Label - White With Black Text 36*6MM
6	{{(1/0.254Bc+HDPE)*1P+(1/0.254Tc+AL/Mylar)*4P+[(1/0.254Bc+HDPE)*1P+(1/0.203Bc+HDPE)*1C+AL/Mylar]*1P+(1/0.203Bc+Foamed-PE)*3C+(1/0.254Bc+HDPE)*1C+Filler+AL Mylar+16/12/0.10(85%)Tc Braid}*1C OD=6.5±0.15MM Jacket=Black PVC Jacket with White Text : High Speed HDMI R(logo) Cable With Ethernet E148115-D (UL) c(UL) TYPE CL2 SHIELDED 75°C FT4 30AWG/11C+32AWG/4C (C16S1261-2)
5	Plastic Cap-Transparent(2312110024)
4	PVC - Black 60P (31401012060 YT-1469/YT-3278)
3	PVC - Black 60P (31401012060 YT-3411/3412)
2	HDMI A Plug - Gold Plated (3033700AP003/3033700AVG05/3033700APN04)
1	HDMI A Plug - Gold Plated(Pin 15u" Gold) (303370069G with HT8181 IC / 303009007)
ITEM	SPECIFICATION

	TOLERANCES UNLESS OTHERWISE STATED
	X. = ± 1
	X.X = ± 0.2
	X.XX = ± 0.1
	TOOLING
	DECIMALS ANGLES
	X. ±0.3 ± 1°
	X.X ±0.2 ± 0.5°
	X.XX ±0.1 ± 0.5°

P/N	HAM/AEF007M	SIZE	A4	REV	A
DESCRIPTION PRODUCT	HDMI 2.0 Active w/HEAC cable 7M	UNIT	mm	SCALE	NA
		PAGE NO		1/1	
		DATE		2017.07.27	
JAPAN MATERIAL Co.,Ltd.					




Electric Testing:
 1: 100% 4K/60HZ TV
 2: ICT Testing: RT8000 Numerical value:
 18Gbps

10	PE BAG 320*270*0.08MM
9	HDMI LOGO Label - Transparent With Black Text HDMI® 30*10mm
8	JAN Label - White With Black Text P/N:HAM/AEF010M 4522686006900 40*15mm
7	TV Label - White With Black Text 36*6MM
6	{[(1/0.324Bc+HDPE)*1P+1/0.324Tc+AL/Mylar]*4P+[(1/0.324Bc+HDPE)*1P+((1/0.203Bc+HDPE)*1C+AL/Mylar)*1P+(1/0.203Bc+Foamed-PE)*3C+(1/0.324Bc+HDPE)*1C+Filler+AL Mylar+16/13/0.10(85%)Tc Braid]*1C OD=7.5±0.15MM Jacket=Black PVC Jacket with White Text :High Speed HDMI R(logo) Cable With Ethernet E148115-D (UL) c(UL) TYPE CL2 SHIELDED 75°C FT4 28AWG/11C+32AWG/4C (CTI:C16S1310-3)}
5	Plastic Cap-Transparent(2312110024)
4	PVC - Black 60P (31401012060 YT-1469/YT-3278)
3	PVC - Black 60P (31401012060 YT-3411/3412)
2	HDMI A Plug - Gold Plated (3033700AP003/3033700AVG05/3033700APN04)
1	HDMI A Plug - Gold Plated(Pin 15u" Gold) (303370069G with HT8181 IC / 303009008)
ITEM	SPECIFICATION

TOLERANCES UNLESS OTHERWISE STATED
X. = ± 1
X.X = ± 0.2
X.XX = ± 0.1
TOOLING DECIMALS ANGLES
X. ± 0.3 ± 1°
X.X ± 0.2 ± 0.5°
X.XX ± 0.1 ± 0.5°

P/N	HAM/AEF010M	UNIT	mm	SCALE	NA
DESCRIPTION PRODUCT	HDMI 2.0 Active w/HEAC cable 10M	PAGE NO		1/1	
		DATE		2017.07.27	
JAPAN MATERIAL Co.,Ltd.					



Electric Testing:
 1: 100% 4K/60HZ TV
 2: ICT Testing: RT8000 Numerical value:
 18Gbps

10	PE BAG 450*360*0.08mm
9	HDMI LOGO Label - Transparent With Black Text HDMI® 30*10mm
8	JAN Label - White With Black Text P/N:HAM/AEF015M 4522686006917 40*15mm
7	TV Label - White With Black Text 36*6MM
6	{[(1/0.561Bc+Foamed-PE)*1P+1/0.203Tc+AL/Mylar]*4P+[(1/0.511Bc+Foamed-PE)*1P+1/0.203Tc+AL/Mylar]*1P+(1/0.203Bc+Foamed-PE)*3C+(1/0.511Bc+HDPE)*1C+Filler+AL Mylar+24/11/0.10(85%)Tc Braid}*1C OD=9.0±0.20MM Jacket=Black PVC Jacket with White Text : High Speed HDMI R(logo) Cable With Ethernet E148115-D (UL) c(UL) TYPE CL2 SHIELDED 75°C FT4 24AWG/11C+32AWG/3C (CTI:C17S0041-1)
5	Plastic Cap-Transparent(2312110024)
4	PVC - Black 60P (31401012060 YT-3492/3413)
3	PVC - Black 60P (31401012060 YT-3411/3412)
2	HDMI A Plug - Gold Plated(303370058G / 313010258 / 313020258)
1	HDMI A Plug - Gold Plated(Pin 15u" Gold) (303370069G with HT8181 IC / 303009009)
ITEM	SPECIFICATION

TOLERANCES UNLESS OTHERWISE STATED
X. = ± 1
X.X = ± 0.2
X.XX = ± 0.1
TOOLING DECIMALS ANGLES
X. ±0.3 ± 1°
X.X ±0.2 ± 0.5°
X.XX ±0.1 ± 0.5°

		SIZE	A4	REV	A
P/N	HAM/AEF015M	UNIT	mm	SCALE	NA
DESCRIPTION PRODUCT	HDMI 2.0 Active w/HEAC cable 15M	PAGE NO		1/1	
		DATE		2017.07.27	
JAPAN MATERIAL Co.,Ltd.					