


ALL MATERIAL ARE RoHS AND CALIFORNIA PROP.65 COMPLIANT




NOTE: MOLDED HOOD LOGO


0.3M ~7.0M :



| P/N | L(MM) |
|------------|-----------|
| HAM/PE003M | 300±50 |
| HAM/PE050M | 5000±150 |
| HAM/PE070M | 7000±250 |
| HAM/PE100M | 10000±250 |
| HAM/PE150M | 15000±250 |
| HAM/PE200M | 20000±250 |



PINOUT CONFIGURATION



NOTE:

- THIS ITEM CONTAINS PAT. US 6,287,148 B1 RF-BLOK™SHIELDING DESIGN.
- WIRE MARKING:

(TTL)® E193793 AWM 20276 80°C 30V VW-1 TOTAL TECHNOLOGIES. LTD.® (1 INCH) <<< 20.4 Gbps
 2160P 8.3 Mega Pixels 4k HIGH-SPEED DIGITAL AV CABLE DigiBahn™ H2.0 LEVEL-2.50 SERIES >>>

UNIT: mm

| ITEM | DESCRIPTION | QTY. | UNIT |
|------|---|------|------|
| 1 | HDMI TYPE A 19PIN CONNECTOR,MALE W/GOLD PLATED PINS UL94V-0 | 2 | PCS. |
| 2 | CHARCOAL CH123 MOLDED PVC HOOD | 2 | PCS. |
| 3 | PAT. US 6,287,148 B1 RF-BLOK™SHIELDING METAL CAN | 2 | PCS. |
| 4 | (100Ω SHIELDED TWISTED PAIRS)x4+7C WIRE; AL-FOIL+DRAIN +85% BRAID; CHARCOAL CH123 PVC JACKET. LEVEL-2.50 | SEE | DWG. |

REVISED DETAILS

| REV. | DESCRIPTION | DATE | REVISED BY | Part number: SEE TABLE | Revision: F | © Copyright 10-2016 JAPAN MATERIAL.Co.,Ltd. |
|------|-------------|------|------------|---------------------------|---------------------------------|---|
| B | | | | | | |
| C | | | | RFQ number: | Drawing#: 161028-2 | |
| D | | | | | Scale: None | |
| E | | | | | Date: 10/28/2016 | |
| F | | | | | TTL13/E/JAPAN MATERIAL/161028-2 | |

All information herein is proprietary and the exclusive property of the company. Recipient agrees: 1) Not to disclose any of such information to others 2) Not to reproduce in whole or in part 3) To use such information only as directed by the company. 4) Upon request, to return all copies of this document to the company. Specifications are subject to change without prior notice.