

ELECTRIC TESTING:


1. 100% OPEN&SHORT TESTING.
2. INSULATION RESISTANCE: $\geq 20 \text{ M}\Omega$
3. CONDUCTOR RESISTANCE: $\leq 5 \Omega$
4. VOLTAGE: 300V DC/0.1S

4	[(1/0.254Bc+HDPE)*1P+1/0.254Tc+AL/Mylar+Mylar]*5P+(1/0.254Bc+HDPE)*4C+Cotton+AL/Mylar+16/13/0.08Tc 85% Braid)*1C OD=6.0MM Jacket=Black PVC With White Marking:PREMIUM HIGH SPEED HDMI® CABLE WITH ETHERNET (UL) AWM 20276 VW-1 80°C 30V E81280-D CHING TAI (307B87U01800000)
3	PVC Orange 60P(CYT-3237)
2	PVC Gray 40P(YT-3338)
1	HDMI PLUG - Black Plastic, Pin 3u"(3033700AP003)
ITEM	SPECIFICATION

	TOLERANCES UNLESS OTHERWISE STATED
X.	= ± 1
.X	= ± 0.2
.XX	= ± 0.1

P/N	PHAM/PE01M
DESCRIPTION	High Speed HDMI Cable with Ethernet Length: 1m

REVISION	A1
UNIT	mm
SCALE	NO
PAGE NO	1/1
DATE	2016.07.14



ELECTRIC TESTING:


1. 100% OPEN & SHORT TESTING.
2. INSULATION RESISTANCE: $\geq 20 \text{ M}\Omega$
3. CONDUCTOR RESISTANCE: $\leq 5 \Omega$
4. VOLTAGE: 300V DC/0.1S

ITEM	SPECIFICATION
4	[(1/0.254Bc+HDPE)*1P+1/0.254Tc+AL/Mylar+Mylar]*5P+(1/0.254Bc+HDPE)*4C+Cotton+AL/Mylar+16/13/0.08Tc 85% Braid)*1C OD=6.0MM Jacket=Black PVC With White Marking:PREMIUM HIGH SPEED HDMI® CABLE WITH ETHERNET (UL) AWM 20276 VW-1 80°C 30V E81280-D CHING TAI (307B87U01800000)
3	PVC Orange 60P(CYT-3237)
2	PVC Gray 40P(YT-3338)
1	HDMI PLUG - Black Plastic, Pin 3u"(3033700AP003)

TOLERANCES UNLESS OTHERWISE STATED	
X.	= ± 1
.X	= ± 0.2
.XX	= ± 0.1

P/N	PHAM/PE02M
DESCRIPTION	High Speed HDMI Cable with Ethernet Length: 2m

REVISION	A1
UNIT	mm
SCALE	NO
PAGE NO	1/1
DATE	2016.07.14



ELECTRIC TESTING:

1. 100% OPEN&SHORT TESTING.
2. INSULATION RESISTANCE: $\geq 20 \text{ M}\Omega$
3. CONDUCTOR RESISTANCE: $\leq 5 \Omega$
4. VOLTAGE: 300V DC/0.1S

4	<p>[[{(1/0.324Bc+HDPE)*1P+1/0.324Tc+AL/Mylar]*5+(1/0.324Bc+HDPE)*4C+Filler+AL+16/13/0.10Tc 85%}*1C OD=7.3MM Jacket=Black PVC with White Text :PREMIUM HIGH SPEED HDMI R(logo) CABLE WITH ETHERNET UL(Logo)AWM 20276 VW-1 80° C 30V E81280-D CHING TAI (307187201800000)</p>
3	PVC Orange 60P(CYT-3237)
2	PVC Gray 40P(YT-3338)
1	HDMI PLUG - Black Plastic, Pin 3u"(3033700AP003)
ITEM	SPECIFICATION

TOLERANCES UNLESS OTHERWISE STATED	
X.	= ± 1
.X	= ± 0.2
.XX	= ± 0.1

	P/N	PHAM/PE03M
DESCRIPTION	High Speed HDMI Cable with Ethernet Length: 3m	

REVISION	A1
UNIT	mm
SCALE	NO
PAGE NO	1/1
DATE	2016.07.14